

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: MAG 1 BELT DRESSING
Product Code: MAG10446

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Automotive Lubricants
Recommended restrictions: Not applicable

1.3. Details of the supplier of the safety data sheet

Manufacturer: Warren Distribution, Inc.
727 S. 13th Street
Omaha, NE 68102
Information Phone: +01 (800) 825-1235 +01 (402) 341-9397
E-mail: sds@wd-wpp.com

1.4. Emergency telephone number

Emergency phone number: CHEMTREC: +1 (800) 424-9300
International: +01 (703) 527-3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Flammable Aerosol Category 1
Gases under pressure - Compressed Gas
Skin Corrosion/Irritation Category 2
Reproductive Toxicity Category 2
Specific Target Organ Systemic Toxicity (STOT) - Repeated Exposure Category 2
Hazardous to the aquatic environment - Acute Category 3
Hazardous to the aquatic environment - Chronic Category 3

2.2. Label elements

GHS Hazard Symbols



Signal Word

Hazard Statements

Danger
Extremely flammable aerosol.
H280 - Contains gas under pressure; may explode if heated.
H315 - Causes skin irritation.
H361 - Suspected of damaging fertility or the unborn child.
H373 - May cause damage to organs through prolonged or repeated exposure.
H402 - Harmful to aquatic life.
H412 - Harmful to aquatic life with long lasting effects.

Precautionary Statements

Prevention

P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P210 - Keep away from heat/sparks/open flames/hot surfaces. – No smoking.
P211 - Do not spray on an open flame or other ignition source.
P251 - Pressurized container: Do not pierce or burn, even after use.
P260 - Do not breathe dust/fume/gas/mist/vapors/spray.
P264 - Wash exposed areas thoroughly after handling.

SAFETY DATA SHEET

Response

P273 - Avoid release to the environment.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P281 - Use personal protective equipment as required.
P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
P308+P313 - IF exposed or concerned: Get medical advice/attention.
P314 - Get medical advice/attention if you feel unwell.
P321 - Specific treatment (see section 4).
P332+P313 - If skin irritation occurs: Get medical advice/attention.
P362 - Take off contaminated clothing and wash before reuse.
P405 - Store locked up.
P410+P403 - Protect from sunlight. Store in a well-ventilated place.
Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F.
P501- Dispose of contents/container in accordance with local/regional/national/international regulations.

Storage

Disposal

2.3. Other hazards

Hazards not otherwise classified:

Avoid prolonged or repeated skin contact with used fluid.

Unknown acute toxicity (GHS-US)

Unknown Acute Toxicity 15 % of the mixture consists of ingredient(s) of unknown toxicity.

(Gas):

Unknown Acute Toxicity 15 % of the mixture consists of ingredient(s) of unknown toxicity.

(Vapor):

Unknown Acute Toxicity 15 % of the mixture consists of ingredient(s) of unknown toxicity.

(Dust/Mist):

SECTION 3: Composition/information on ingredients

Chemical Name	%	CAS #	GHS Classification
Heptane	10 - 30	142-82-5	Aquatic Chronic 4; H413 Asp. Tox. 1; H304 Flam. Liq. 1; H224 Skin Irrit. 2; H315 STOT SE 3; H335, H336
n-Hexane	10 - 30	110-54-3	Aquatic Chronic 2; H411 Asp. Tox. 1; H304 Flam. Liq. 2; H225 Repr. 2; H361 Skin Irrit. 2; H315 STOT RE 2; H373 STOT SE 3; H335, H336

Components not listed are not physical or health hazards as defined in 29 CFR 1910.1200 (Hazard Communication Standard).

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen and get medical attention immediately.

Eyes

Immediately flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician.

Skin Contact

Wash with soap and water. Remove contaminated clothing and launder. Get medical attention if irritation develops or persists.

Ingestion

Do not induce vomiting and seek medical attention immediately. Provide medical care provider with this SDS.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms

Severe pulmonary irritation

SAFETY DATA SHEET

SECTION 4: First aid measures

4.3. Indication of any immediate medical attention and special treatment needed

Note to Doctor No additional first aid information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable and Unsuitable

Extinguishing Media:

Use alcohol resistant foam, carbon dioxide, or dry chemical extinguishing agents. Water spray or fog may also be effective for extinguishing if swept across the base of the fire. Water can also be used to absorb heat and keep exposed material from being damaged by fire.

5.2. Special hazards arising from the substance or mixture

Fire and/or Explosion

Hazards

Vapors may be ignited by heat, sparks, flames or other sources of ignition at or above the low flash point giving rise to a Class B fire. Vapors are heavier than air and may travel to a source of ignition and flash back

5.3. Advice for firefighters

Fire Fighting Methods and

Protection

Do not enter fire area without proper protection including self-contained toxic breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Flammable component(s) of this material may be lighter than water and burn while floating on the surface. Use water spray/fog for cooling. Use methods for the surrounding fire.

Flammable component(s) of this material may be lighter than water and burn while floating on the surface.

Hazardous Combustion

Products

Carbon dioxide, Carbon monoxide

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General Measures: Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill.

Evaporation of volatile substances can lead to the displacement of air creating an environment that can cause asphyxiation.

6.2. Environmental precautions

No data available.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so.

Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.

Shut off ignition sources; including electrical equipment and flames. Do not allow smoking in the area.

6.4. Reference to other sections

Follow all protective equipment recommendations provided in Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Harmful or irritating material. Avoid contacting and avoid breathing the material. Use only in a well ventilated area. Empty containers may retain product residues/ vapors. Use proper bonding and grounding during bulk product transfer. Use spark-proof tools and explosion-proof equipment

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool dry ventilated location. Isolate from incompatible materials and conditions. Keep container(s) closed.

Incompatible materials

See Section 10.

7.3. Specific end use(s)

Automotive Lubricants

SECTION 8: Exposure controls/personal protection

SAFETY DATA SHEET

8.1. Control parameters

Chemical Name	Occupational Exposure Limits	Value
Heptane	OSHA PEL	500 ppm TWA; 2000 mg/m ³ TWA
n-Hexane	OSHA PEL	500 ppm TWA; 1800 mg/m ³ TWA
Propane	OSHA PEL	1000 ppm TWA; 1800 mg/m ³ TWA
n-Heptane	ACGIH TLV-TWA	400 ppm TWA (listed under Heptane, all isomers)
n-Hexane	ACGIH TLV-TWA	50 ppm TWA
Propane	ACGIH TLV-TWA	1000 ppm TWA (listed under Aliphatic hydrocarbon gases: Alkane C1-4)
n-Heptane	ACGIH STEL	500 ppm STEL (listed under Heptane, all isomers)
n-Butane	ACGIH STEL	1000 ppm STEL
n-Heptane	IDLH	750 ppm IDLH
n-Hexane	IDLH	1100 ppm IDLH (10% LEL)
Propane	IDLH	2100 ppm IDLH (10% LEL)
None.	OSHA PEL-Skin Notation	
n-Hexane	ACGIH TLV-Skin Designation	Skin - potential significant contribution to overall exposure by the cutaneous route

8.2. Exposure controls

Engineering Measures	Local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid overexposure.
Respiratory Protection	Respiratory protection will be required when handling this product. Use respirators only if ventilation cannot be used to eliminate symptoms or reduce the exposure to below acceptable levels.
Respirator Type(s)	If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.
Eye Protection	Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact lenses. Have an eye wash station available.
Skin Protection	Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.
Gloves	Polyvinylalcohol, Nitrile

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical State	Liquid
Odor	Mild
Odor threshold	Not determined
pH	Not determined
Freezing point	Not determined
Boiling Point	Not determined
Flash Point Method	Not determined
Evaporation Rate	Not determined
Upper Flammable/Explosive Limit, % in air	9.5
Lower Flammable/Explosive Limit, % in air	1.6
Flammability (solid, gas)	Not applicable
Vapor pressure	Not determined
Vapor Density	2.11

SAFETY DATA SHEET

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Relative Density	0.77
Solubility in Water	Negligible; 0-1%
Octanol/Water Partition Coefficient	Not determined
Autoignition Temperature	Not determined
Decomposition Temperature	Not determined
9.2. Other information	
Volatiles, % by weight	0.000000

SECTION 10: Stability and reactivity

10.1. Reactivity	No data available.
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous reactions	Hazardous polymerization will not occur.
10.4. Conditions to avoid	Sparks, open flame, other ignition sources, and elevated temperatures. Elevated temperatures
10.5. Incompatible materials	Oxidizing materials
10.6. Hazardous decomposition products	Carbon dioxide, Carbon monoxide

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Ingestion Toxicity	No hazard in normal industrial use. Estimated to be > 5.0 g/kg.
Skin Contact	This material is likely to be moderately irritating to skin based on animal data. Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause permanent damage.
Absorption	Likely to be practically non-toxic based on animal data.
Inhalation Toxicity	No hazard in normal industrial use. Likely to be practically non-toxic based on animal data.
Eye Contact	This material is likely to be severely irritating to eyes based on animal data. Contact with the eyes may cause moderate to severe eye injury. Eye contact may result in tearing and reddening, but not likely to permanently injure eye tissue. Temporary vision impairment (cloudy or blurred vision) is possible.
Sensitization	Non-hazardous under Respiratory Sensitization category. No data available to indicate product or components may be a skin sensitizer.
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.
Carcinogenicity	Not a carcinogen according to NTP, IARC, or OSHA.
Reproductive and Developmental Toxicity	Contains a substance(s) that is a possible reproductive system hazard based on high dose tests with laboratory animals.
Specific target organ toxicity-Single exposure	Non-hazardous under Specific Target Organ Systemic Toxicity Single Exposure category.
Specific target organ toxicity-Repeated exposure	H373 - May cause damage to organs through prolonged or repeated exposure.
Long-Term (Chronic) Health Effects	Severe pulmonary irritation
Aspiration toxicity	Non-hazardous under Aspiration category.
Other information	No data available.

Agents Classified by IARC Monographs

Not applicable	IARC Group 1
Not applicable	IARC Group 2A
Not applicable	IARC Group 2B

National Toxicity Program (NTP) Status

Not applicable	Known Human Carcinogen
----------------	------------------------

SAFETY DATA SHEET

Not applicable

Reasonably Anticipated To Be A Human Carcinogen

SECTION 12: Ecological information

12.1. Toxicity

Acute Aquatic ecotoxicity: Non-hazardous under Aquatic Acute Environment category.

Chronic Aquatic ecotoxicity: H412 - Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

Biodegrades quickly.

12.3. Bioaccumulative potential

Bioconcentration may occur.

12.4. Mobility in soil

This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

Not determined

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods

Dispose of by incineration following Federal, State, Local, or Provincial regulations.

Waste Disposal Code(s)

D001

Waste Description for Spent Product

Spent or discarded material is a hazardous waste.

Contaminated packaging:

SECTION 14: Transport information

DOT Basic Description UN1950, AEROSOLS, 2.1, LTD QTY

IMDG	Proper Shipping Name:	AEROSOLS
	UN Number:	UN1950
	Hazard Class:	2.1
	Exception:	LTD QTY
	EMS#	F-D, S-U
IATA	Proper Shipping Name:	AEROSOLS, FLAMMABLE
	UN Number:	UN1950
	Hazard Class:	2.1
	Exception:	LTD QTY

SECTION 15: Regulatory information

Chemical Inventories

TSCA Status All components of this material are on the US TSCA Inventory or are exempt.

U.S. State Restrictions: Not applicable

WHMIS:
B2, D2B
B2, D2A, D2B
A, B1

Chemical Name	Regulation	CAS #	%
Hexane	CERCLA	110-54-3	10 - 30
n-Hexane	SARA 313	110-54-3	10 - 30
None.	SARA EHS		
Heptane (n-)	TSCA 12b	142-82-5	10 - 30

U.S. State Regulations

SAFETY DATA SHEET

Chemical Name	Regulation	CAS #	%
None.	California Prop 65- Cancer		
None.	California Prop 65- Dev. Toxicity		
None.	California Prop 65- Reprod -fem		
None.	California Prop 65- Reprod-male		
Heptane	Massachusetts RTK List	142-82-5	10 - 30
Hexane	Massachusetts RTK List	110-54-3	10 - 30
Propane	Massachusetts RTK List	74-98-6	10 - 30
Butane	Massachusetts RTK List	106-97-8	10 - 30
n-Heptane	New Jersey RTK List	142-82-5	10 - 30
n-Hexane	New Jersey RTK List	110-54-3	10 - 30
Propane	New Jersey RTK List	74-98-6	10 - 30
Butane	New Jersey RTK List	106-97-8	10 - 30
Heptane	Pennsylvania RTK List	142-82-5	10 - 30
Hexane	Pennsylvania RTK List	110-54-3	10 - 30
Propane	Pennsylvania RTK List	74-98-6	10 - 30
Butane	Pennsylvania RTK List	106-97-8	10 - 30
None.	Rhode Island RTK List		
Heptane (n-)	Minnesota Hazardous Substance List	142-82-5	10 - 30
Hexane	Minnesota Hazardous Substance List	110-54-3	10 - 30
Propane	Minnesota Hazardous Substance List	74-98-6	10 - 30
Butane	Minnesota Hazardous Substance List	106-97-8	10 - 30

HMIS Ratings:

Health: 2
Fire: 4
Reactivity: 0
PPE: B

NFPA Ratings:

Health: 2
Fire: 4
Reactivity: 0

KEY: 0 - Least 1 - Slight 2 - Moderate 3 - High 4 - Extreme

SECTION 16: Other information

Revision Date 4/2/2015 3:26:33 AM
Supersedes: 10/1/2014 10:29:48 AM
References ACGIH: American Conference of Governmental Industrial Hygienists
 AIHA: American Industrial Hygiene Association
 CFR: Code of Federal Regulations
 DOT: United States Department of Transportation
 GHS: Globally Harmonized System of Classification and Labeling of Chemicals
 HMIS: Hazardous Materials Identification System
 IARC: International Agency for Research on Cancer
 IATA: International Air Transportation Association
 IDLH: Immediately Dangerous to Life or Health
 IMDG: International Maritime Dangerous Goods
 NFPA: National Fire Protection Association
 NIOSH: National Institute for Occupational Safety and Health
 NTP: National Toxicology Program
 OSHA: Occupational Safety and Health Administration

SAFETY DATA SHEET

SECTION 16: Other information

PEL: Permissible Exposure Limit
RTK: Right-to-Know
SARA: Superfund Amendments and Reauthorization Act
STEL: Short-term Exposure Limit
TLV: Threshold limit value
TSCA: Toxic Substances Control Act
TWA: Time weighted average
UN: United Nations
WHMIS: Workplace Hazardous Materials Information System

Disclaimer

This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.